UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/518,890	03/01/2005	Hanns-Peter Klockner	RBL0119 5310	
832 BAKER & DA	7590 07/17/2007 NIELS LLP	•	EXAMINER	
111 E. WAYNE STREET			IQBAL, KHAWAR	
SUITE 800 FORT WAYN	E, IN 46802		ART UNIT	PAPER NUMBER
			2617	
			WAY BATE	
•			MAIL DATE	DELIVERY MODE
			07/17/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/518,890	KLOCKNER, HANNS-PETER				
Office Action Summary	Examiner	Art Unit				
	Khawar Iqbal	2617				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period w Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timusely under the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 25 M	<u>ay 2007</u> .					
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
·	S) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) ⊠ Claim(s) 10 and 12-14 is/are pending in the ap 4a) Of the above claim(s) is/are withdray 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 10,12-14 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/o	wn from consideration.					
Application Papers						
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomplicated and accomplicate may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Examine	epted or b) objected to by the drawing(s) be held in abeyance. Section is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary Paper No(s)/Mail D					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal F					

Application/Control Number: 10/518,890 Page 2

Art Unit: 2617

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 5-25-05 has been entered.

Claim Rejections - 35 USC § 112

- The following is a quotation of the second paragraph of 35 U.S.C. 112:
 The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.
- 2. Claim 12 is recites the limitation "from the short memory center SMSC" in page
- 3, line 10. There is insufficient antecedent basis for this limitation in the claim.

4, line 20. There is insufficient antecedent basis for this limitation in the claim.

Claim 14 is recites the limitation "from the short memory center SMSC" in page

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Application/Control Number: 10/518,890

Art Unit: 2617

4. Claims 10,12-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jean Henry-Labordere (20030013464) and further in view of Frangion et al (20030229534) and Robinson et al (6760580).

Page 3

5. Regarding claim 12 Jean Henry-Labordere teaches a system to handle short messages under phone number portability between multiple telecommunications networks, where the phone numbers do not permit an unambiguous linkage of the user to a specific telecommunication network and where several attempts at delivery of the short messages are possible, and where the parameters or data required for delivery of the short message are determined during the first attempt at delivery, said system comprising (figs. 1-3, para. # 0029):

means for determining parameters or data required for the delivery of a short message from a sending entity to a recipient by determining the relevant home register HLR for the recipient and then generating a routing inquiry to the relevant HLR (para. 0001-0008,0018, 0021-0034);

the relevant HLR including means for responding to the inquiry by returning parameters or data for delivery (para. 0001-0008, 0021-0034);

means for performing a first attempt at delivery based on the parameters or data required for delivery (para. 0001-0008, 0021-0034);

means for temporarily storing in a short message service center SMSC in the sending network that is involved in the transaction the short message to be delivered and the parameters or data required for delivery including the HLR address of the

relevant home register HLR containing the required parameters or data obtained during the first attempt at delivery (para. 0001-0008,0018, 0021-0034);

storage space reserved to store all or part of the parameters or data relating to the first attempt at delivery in a short message service center (SMSC) involved in the transaction, where such storage space is associated with a temporary storage location housing the short message to be delivered, and where the stored parameters or data required for delivery are stored for use at least in part in subsequent attempts at delivery (para. 0001-0008, 0021-0034). Jean Henry-Labordere teaches sending short SMS messages to mobile networks having number portability within the same country that a computer with SS7 connections is used as an SMSC relay to relay the short messages sent by an operator A to a subscriber of a network B visiting another network C, the latter having no roaming agreement with network A, by sending the short SMS message with the global title GT of the visited MSC to a companion SMSC in a network which does have a roaming agreement with network C, the computer capable of interrogating all the HLRs of the country in which the number portability is operated, the computer having a cache memory for all the mobile subscribers of the country in which the portability is operated so that the computer will know which HLR to interrogate, without searching, once the HLR has been found a first time. The invention may consist of a "Conversion Unit" installed at each operator, which wants to have the MNP feature to send SMS to all his subscribers (regular or port-in) or to the others. The Conversion Unit is basically the A-me as the MNP-MSC but does not require a large cache memory. Send a Forward Short Message Mobile Terminated (SMSMT) to the visited MSC which

will relay to the Destination Address handset. In case of failure, various classical retry schemes may be used. Jean Henry-Labordere does not specifically teach means for erasing from the short memory service center SMSC the short message and said parameters or data required for delivery when the short message is delivered successfully.

Page 5

In an analogous art, Frangione et al teaches (sport to Jean Henry-Labordere teaches para. # 0018 and see Background of the Invention) if the short message was not delivered successfully, performing at least a subsequent attempt at delivery by retrieving the message and store in the SMSC (para. # 0116-0118). Applicant acknowledges (Background of the Invention), "This is handled by various procedures that vary in complexity, but that will eventually yield the needed information, such that it is available after all. The sending entity, which is the HLR in the subscription network of the recipient, also sends his calling party address (CgPty address) as the sender's address. However, this is deleted after each delivery attempt of the SM in all currently known procedures. Thus, the SMSC must address the intended HLR again via a so-called MNP-SRF network element for each subsequent retry, even in those cases where the HLR is in the own PLMN. This procedure has been used to-date prior to MNP and continues to be used after MNP essentially unchanged, which leads to the inefficiency described above" (see para. #3, Background of the Invention). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Jean Henry-Labordere by specifically adding feature if the short message was not delivered

successfully, performing at least a subsequent attempt at delivery by retrieving the message and store in the SMSC in order to enhance control the delivering procedure to save the memory space as taught by Frangione et al. Jean Henry-Labordere and Frangione et al do not specifically teach if the short message is delivered successfully, erasing the short message.

In an analogous art, Robinson et al teaches if the short message is delivered successfully, erasing the short message (col. 8, lines 7-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Jean Henry-Labordere and Frangione et al and Applicant acknowledges (Background of the Invention) by specifically adding feature if the short message is delivered successfully and erasing the short message in order to enhance control the delivering procedure to save the memory space as taught by Robinson et al.

Regarding claims 13,14 Jean Henry-Labordere teaches method for handling short messages under phone number portability between several communications networks, where the phone numbers do not permit an unambiguous linkage of the user to a specific telecommunication network, comprising the steps of (figs. 1-3):

determining parameters or data required for the delivery of a short message from a sending entity to a recipient by determining the relevant home register HLR for the recipient and then generating a routing inquiry to the relevant HLR (para. 0001-0008, 0021-0034);

the relevant HLR responding to the inquiry by returning parameters or data for delivery (para. 0001-0008, 0021-0034);

performing a first attempt at delivery based on the parameters or data required for delivery (para. 0001-0008, 0021-0034);

temporarily storing in the short message service center SMSC involved in the transaction the short message to be delivered and the parameters or data required for delivery including the HLR address of the relevant home register HLR containing the required parameters or data obtained during the first attempt at delivery (para. 0001-0008, 0021-0034). Jean Henry-Labordere teaches sending short SMS messages to mobile networks having number portability within the same country that a computer with SS7 connections is used as an SMSC relay to relay the short messages sent by an operator A to a subscriber of a network B visiting another network C, the latter having no roaming agreement with network A, by sending the short SMS message with the global title GT of the visited MSC to a companion SMSC in a network which does have a roaming agreement with network C, the computer capable of interrogating all the HLRs of the country in which the number portability is operated, the computer having a cache memory for all the mobile subscribers of the country in which the portability is operated so that the computer will know which HLR to interrogate, without searching, once the HLR has been found a first time. The invention may consist of a "Conversion Unit" installed at each operator, which wants to have the MNP feature to send SMS to all his subscribers (regular or port-in) or to the others. The Conversion Unit is basically the A-me as the MNP-MSC but does not require a large cache memory. Send a

Forward Short Message Mobile Terminated (SMSMT) to the visited MSC which will relay to the Destination Address handset. In case of failure, various classical retry schemes may be used. Jean Henry-Labordere does not specifically teach means for erasing from the short memory service center SMSC the short message and said parameters or data required for delivery when the short message is delivered successfully.

Page 8

In an analogous art, Frangione et al teaches (sport to Jean Henry-Labordere teaches para. # 0018 and see Background of the Invention) if the short message was not delivered successfully, performing at least a subsequent attempt at delivery by retrieving the message and store in the SMSC (para. # 0116-0118). Applicant acknowledges (Background of the Invention), "This is handled by various procedures that vary in complexity, but that will eventually yield the needed information, such that it is available after all. The sending entity, which is the HLR in the subscription network of the recipient, also sends his calling party address (CgPty address) as the sender's address. However, this is deleted after each delivery attempt of the SM in all currently known procedures. Thus, the SMSC must address the intended HLR again via a so-called MNP-SRF network element for each subsequent retry, even in those cases where the HLR is in the own PLMN. This procedure has been used to-date prior to MNP and continues to be used after MNP essentially unchanged, which leads to the inefficiency described above" (see para. #3, Background of the Invention). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Jean HenryApplication/Control Number: 10/518,890 Page 9

Art Unit: 2617

Labordere by specifically adding feature if the short message was not delivered successfully, performing at least a subsequent attempt at delivery by retrieving the message and store in the SMSC in order to enhance control the delivering procedure to save the memory space as taught by Frangione et al. Jean Henry-Labordere and Frangione et al do not specifically teach if the short message is delivered successfully, erasing the short message.

In an analogous art, Robinson et al teaches if the short message is delivered successfully, erasing the short message (col. 8, lines 7-16). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device of Jean Henry-Labordere and Frangione et al and (Applicant acknowledges (Background of the Invention)) by specifically adding feature if the short message is delivered successfully and erasing the short message in order to enhance control the delivering procedure to save the memory space as taught by Robinson et al.

Regarding claim 10 Jean Henry-Labordere teaches characterized by having the query of HLR use an SS7 channel (para. 0013, 0021-0034).

Response to Arguments

6. Applicant's arguments with respect to claims 10,12-14 have been considered but are most in view of the new ground(s) of rejection.

Application/Control Number: 10/518,890 Page 10

Art Unit: 2617

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khawar Iqbal whose telephone number is 571-272-7909.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Eng can be reached on (571) 272-7495. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

Khawar Iqbal

SUPERVISORY PATENT EXAMINER